




### LED SYSTEM







### LAYOUT FOR 1 AWNING

schema per 1 tenda  
layout for 1 awning

Schema für 1 Markisen  
plan pour 1 store

esquema para 1 toldo  
esquema para 1 toldo










for n° connectable arms see table

### LAYOUT FOR 2 AWNING

schema per 2 tende  
layout for 2 awning

Schema für 2 Markisen  
plan pour 2 store

esquema para 2 toldo  
esquema para 2 toldo



for n° connectable arms see table

AVAILABLE FOR AWNING

disponibile per tenda  
available for awning













Erhältlich für folgende Markisen  
disponible pour store

disponibile para toldo  
disponibilidade por toldo

RAFFAELLO  
MODIGLIANI  
BALLA  
TIZIANO  
DE CHIRICO

TIEPOLO  
RENOIR  
GIORGIONE  
PERUGINO

GIOTTO

N°						
1		2XL150CASLD 2XL175CASLD 2XL200CASLD 2XL225CASLD 2XL250CASLD 2XL275CASLD 2XL300CASLD 2XL325CASLD 2XL350CASLD	braccio cassiopea led cassiopea led arm Gelenkarm Cassiopea led bras cassiopea led brazo cassiopea led braço cassiopea led	150 cm 175 cm 200 cm 225 cm 250 cm 275 cm 300 cm 325 cm 350 cm	1 CP	
2		PFALBOX1	power supply + dimmer 200W IP65 with button/radio/wifi power supply + dimmer 200W IP65 with button/radio/wifi power supply + dimmer 200W IP65 with button/radio/wifi power supply + dimmer 200W IP65 with button/radio/wifi power supply + dimmer 200W IP65 with button/radio/wifi power supply + dimmer 200W IP65 with button/radio/wifi		1 PZ	
3		PFCVAULT	cavo collegamento a "T" 160/20/160 "T" connection cable 160/20/160 "T" Verbindungskabel 160/20/160 Câble de connexion en "T" 160/20/160 Cable de conexión "T" 160/20/160 Cabo de conexão "T" 160/20/160		1 PZ	
4		PFCVPROL5	cavo collegamento da 5 m 5 m connection cable 5 m Verbindungskabel Câble de connexion de 5 m Cable de conexión de 5 m Cabo de conexão de 5 m		1 PZ	
5		PFCVBOX	cavetto per box 15 cm cable for box 15 cm Kabel für Box 15 cm câble pour box 15 cm cable para box 15 cm cabo para box 15 cm		1 PZ	
6		PFTELC1	telecomando box remote controller box Fernlenkung Box télécommande box telemando box control remoto box		1 PZ	








## OPTIONAL

optional disponibili per questo braccio  
extras available for this arm type

vorhandene Möglichkeiten für diesen Arm  
options disponibles pour ce bras

opciones disponibles para este brazo  
opções disponíveis para este braço

	PFALIM1	kit power supply + dimmer IP44 100W slim kit power supply + dimmer IP44 100W slim kit power supply + dimmer IP44 100W slim kit power supply + dimmer IP44 100W slim kit power supply + dimmer IP44 100W slim kit power supply + dimmer IP44 100W slim		1 PZ	
 150/200 watt	PFCV2USC	cavo 2 uscite indipendenti per alimentatore cable with 2 independent outputs for power supply Verbindungskabel mit 2 Unabhängige Ausgänge für Power Supply cable avec 2 sorties independantes pour l'alimentation cable con 2 salidas independentes para la alimentacion cabo com 2 saidas independentes para alimentação		1 PZ	
	PFTELC	telecomando remote controller Fernlenkung télécommande telemando control remoto		1 PZ	
	PFALIM3	power supply + dimmer compact power supply + dimmer compact power supply + dimmer compact power supply + dimmer compact power supply + dimmer compact power supply + dimmer compact		1 PZ	
	PFALIM2	kit power supply + dimmer IP44 200W kit power supply + dimmer IP44 200W kit power supply + dimmer IP44 200W kit power supply + dimmer IP44 200W kit power supply + dimmer IP44 200W kit power supply + dimmer IP44 200W		1 PZ	

## TABLE CONSUMPTION OF WATT FOR CASSIOPEA LED

arm cm	cm streep led x 1 pair arm	WATT FOR ARM			POWER SUPPLY		
		watt for 1 pair	watt for 2 pair	watt for 3 pair	min watt power for 1 pair	min watt power for 2 pair	min watt power for 3 pair
150	220	22	42	63	25	51	76
175	270	26	52	78	31	62	93
200	320	31	61	92	37	74	111
225	370	36	71	107	43	85	128
250	420	40	81	121	48	97	145
275	470	45	90	135	54	108	162
300	520	50	100	150	60	120	180
325	570	55	109	164	66	131	207
350	610	59	117	177	70	141	211