

CÉZANNE BORDEAUX

euroflex A TOUCH OF SHADE

Tenda a caduta verticale guidata da cavetti da 4 mm inox. Le dimensioni massime sono 480 cm di larghezza e 400 cm di altezza.

Vertical drop awning with inox cable guides 4 mm thick. Max. size 480 cm width x 400 cm height.

Vertikale Fallmarkise mit 4 mm dicken Inox-Kabelführungen. Max. Dimension 480 cm Breite x 400 cm Höhe.

Store à descente verticale avec guide-câbles en inox de 4 mm d'épaisseur. Dimension max. 480 cm largeur x 400 cm hauteur.

Toldo vertical con guías de cable inox de 4 mm de espesor. Máx. medidas 480 cm ancho x 400 cm alto.

Toldo vertical com guias para cabos em inox com 4 mm de espessura. Max. dimensões 480 cm de largura x 400 cm de altura.

CÉZANNE BORDEAUX





larghezza max | max width cm | Max. Breite cm
largeur max cm | ancho máx cm | largura max cm

480 cm

altezza max | max height | maximale Höhe
hauteur max | salida máx | saliência máxima

400 cm

AVAILABLE COLOURS



Montagne Sainte-Victoire (serie di dipinti)
Paul Cézanne, 1902 - 1906

TECHNICAL DATA

larghezza width Breite largeur ancho largura	altezza height Höhe hauteur alto altura	tubo avvolgitore roller tube Tuchwelle tube enrouleur tubo de enrollle tubo enrollador
480 cm 480 cm	400 cm 400 cm	Ø 70 mm Ø 78 mm

WIND RESISTANCE CLASS ACCORDING TO THE EUROPEAN STANDARD UNI EN 13561

Classe di resistenza al vento secondo la normativa europea UNI EN 13561
Wind resistance class according to the European standard UNI EN 13561
Windwiderstandsklasse nach der Europäischen Norm EN 13561

Classe de résistance au vent conformément à la réglementation européenne UNI EN 13561
Clase de resistencia al viento según la Normativa Europea UNI EN 13561
Clase de resistência ao vento de acordo com as normas europeias UNI EN 13561

larghezza width Breite largeur ancho largura	altezza height Höhe hauteur alto altura	classe class Klasse classe clase classe	tubo avvolgitore roller tube Tuchwelle tube enrouleur tubo de enrollle tubo enrollador
450 cm	400 cm	1	Ø 78 mm



wall/ceiling bracket



pvc cap with inox eyelet




lock barrel




tensioning register




tensioning register




round terminal bar




AWNING SIZES



AWNING SIZES



WALL / CEILING BRACKET



FOOT

