

LED SYSTEM 24 volt

sporgenza max | max projection | maximale Ausladung
avancée maximale | salida máx | saliência máxima

350 cm



LED SYSTEM





LAYOUT FOR 1 AWNING

schema per 1 tenda
layout for 1 awning

Schema für 1 Markisen
plan pour 1 store

esquema para 1 toldo
esquema para 1 toldo





for n° connectable arms see table

LAYOUT FOR 2 AWNING

schema per 2 tende
layout for 2 awning

Schema für 2 Markisen
plan pour 2 store

esquema para 2 toldos
esquema para 2 toldos



for n° connectable arms see table

AVAILABLE FOR AWNING

disponibile per tenda
available for awning

RAFFAELLO
MODIGLIANI
BALLA
TIZIANO
BOCCIONI
DE CHIRICO






N° 

Erhältlich für folgende Markisen
disponible pour store

TIEPOLO
RENOIR
GIORGIONE
PERUGINO

disponibile para toldo
disponibilidade por toldo

PALLADIO
GIOTTO
GIOTTO MILLENNIUM
MANTEGNA
MANTEGNA MILLENNIUM


1		2XL150CASLD 2XL175CASLD 2XL200CASLD 2XL225CASLD 2XL250CASLD 2XL275CASLD 2XL300CASLD 2XL325CASLD 2XL350CASLD	braccio cassiopea led cassiopea led arm Gelenkarm Cassiopea led bras cassiopea led brazo cassiopea led braço cassiopea led	150 cm 175 cm 200 cm 225 cm 250 cm 275 cm 300 cm 325 cm 350 cm	1 CP	
2		PFALBOX1	power supply + dimmer 200W IP65 with button/radio/wifi power supply + dimmer 200W IP65 with button/radio/wifi power supply + dimmer 200W IP65 with button/radio/wifi power supply + dimmer 200W IP65 with button/radio/wifi power supply + dimmer 200W IP65 with button/radio/wifi power supply + dimmer 200W IP65 with button/radio/wifi		1 PZ	
3		PFCVAULT	cavo collegamento a "T" 160/20/160 "T" connection cable 160/20/160 "T" Verbindungskabel 160/20/160 Câble de connexion en "T" 160/20/160 Cable de conexión "T" 160/20/160 Cabo de conexão "T" 160/20/160		1 PZ	
4		PFCVPROL5	cavo collegamento da 5 m 5 m connection cable Verbindungskabel 5 m Câble de connexion de 5 m Cable de conexión de 5 m Cabo de conexão de 5 m		1 PZ	
5		PFCVBOX	cavetto per box 15 cm cable for box 15 cm Kabel für Box 15 cm câble pour box 15 cm cable para box 15 cm cabo para box 15 cm		1 PZ	
6		PFTELC1	telecomando box remote controller box Fernlenkung Box télécommande box telemando box control remoto box		1 PZ	



OPTIONAL

optional disponibili per questo braccio
extras available for this arm type

vorhandene Möglichkeiten für diesen Arm
options disponibles pour ce bras

opciones disponibles para este brazo
opções disponíveis para este braço

	PFALIM1 •	kit power supply + dimmer IP44 100W slim kit power supply + dimmer IP44 100W slim kit power supply + dimmer IP44 100W slim kit power supply + dimmer IP44 100W slim kit power supply + dimmer IP44 100W slim kit power supply + dimmer IP44 100W slim	1 PZ
	PFCV2USC •	cavo 2 uscite indipendenti per alimentatore cable with 2 independent outputs for power supply Verbindungskabel mit 2 Unabhängige Ausgänge für Power Supply cable avec 2 sorties independantes pour l'alimentation cable con 2 salidas independientes para la alimentacion cabo com 2 saídas independentes para alimentação	1 PZ
	PFTLC •	telecomando 42 canali 42-channel remote control 42-Kanal- Fernlenkung télécommande à 42 canaux telemando de 42 canales controlo remoto de 42 canais	1 PZ
	PFALIM3 •	power supply + dimmer compact power supply + dimmer compact power supply + dimmer compact power supply + dimmer compact power supply + dimmer compact power supply + dimmer compact	1 PZ
	PFALIM2 •	kit power supply + dimmer IP44 150W kit power supply + dimmer IP44 150W kit power supply + dimmer IP44 150W kit power supply + dimmer IP44 150W kit power supply + dimmer IP44 150W kit power supply + dimmer IP44 150W	1 PZ

TABLE CONSUMPTION OF WATT FOR CASSIOPEA LED

arm cm	cm streep led x 1 pair arm	WATT FOR ARM			POWER SUPPLY		
		watt for 1 pair	watt for 2 pair	watt for 3 pair	min watt power for 1 pair	min watt power for 2 pair	min watt power for 3 pair
150	220	22	42	63	25	51	76
175	270	26	52	78	31	62	93
200	320	31	61	92	37	74	111
225	370	36	71	107	43	85	128
250	420	40	81	121	48	97	145
275	470	45	90	135	54	108	162
300	520	50	100	150	60	120	180
325	570	55	109	164	66	131	207
350	610	59	117	177	70	141	211